



KADECO®

ROLLER BLINDS

DESIGN AND FEATURES
VALID FROM 05/25



INSPIRED BY LIFE

A collection created for rooms with character. For effective working and cosy living. Because KADECO roller blinds are one thing above all: stylish companions in everyday life.

As the heart of the collection, the designs from the KADECO Atelier in particular stand for modern zeitgeist, exclusivity and an unmistakable design signature. Complemented by discreet classics, textile screens and functional qualities.



IN LOVE WITH DETAILS

Guided by a feeling for materiality and colour harmony, the editions from the KADECO Atelier combine the highest standards of aesthetics with an eye for fine details. Woven structures, jacquards, bouclé looks and lustre yarns transport textile impressions into the room.





RICH IN FACETS

The colour-oriented trend themes such as Evergreen, Colour Fusion or Mellow Gold promise a journey into special design worlds. From timelessly elegant white and beige tones to trendy colours such as golden ochre, muted green or earthy red.



SUSTAINABILITY

The aspect of sustainability is a common theme running through the KADECO collections. The motto #weloveourplanet is motivated by a desire to treat nature with respect. We want to follow new paths to reduce the stresses on the environment and deal with our resources carefully.

That is why the roller blinds collection contains a large number of materials that are manufactured sustainably or from recycled PET. This PET comes from used plastic packaging, such as bottles or plastic bags and a complex process is used to transform it into yarns and, ultimately, new fabrics.

we
love
our
planet

PROPERTIES THAT CONVINCE

The requirements for roller blind fabrics are as varied as the room situations in which they are used. Whether effective glare protection at the workplace, darkening in the bedroom or antibacterial surfaces: The numerous functional finishes and qualities suitable for the project market ensure that even the highest demands are met.




SCREENS impress with their textile surface and allow a good view to the outside while providing effective glare protection.

SOLTIS MASTER fabrics have an antibacterial and antiviral finish. They are particularly attractive for hygienically sensitive and highly frequented areas.



MICROTEX roller blinds counteract unwanted glare at the workplace and the heating up of rooms. They are available as PET or PES fabrics in various designs and degrees of transparency.



ALUMINATED FABRICS reflect the sun's rays at the window and thus provide improved thermal insulation.



DARKENING ROLLER BLINDS have a specially coated backside that enables effective darkening of the room.



FLAME RETARDANT fabrics such as Trevira CS guarantee maximum safety in public buildings thanks to their certified fire protection effect (M1 / B1 in accordance with DIN 4102-1).

KADECO COLLECTIONS ONLINE

THE DIGITAL FABRIC CATALOGUE


We love fabrics and designs – because they are at the very heart of KADECO sun protection products. You can now choose from the digital KADECO collection online too.

Using various filter functions, fabrics can be filtered based on criteria such as designs, colours and properties. All important details relating to the selected fabric are clearly shown: The detailed preview images show at a glance the front, back and detail view of the fabric. It is also possible to download the fabric data sheet and view the complete product properties in a clearly summarised form.



Digital Fabric Catalogue

The QR code on the sample pages will take you directly to the digital KADECO collection, where you can view the fabric properties online.



*Online
Browsing*





DISPLAY SCREEN EQUIPMENT (DSE) WORKSTATION SUITABILITY

Provide the best light for your employees

Daylight makes you feel happy, cheerful and productive. These positive attributes can also be brought into the workplace – without unpleasant side effects such as glare, heat radiation or reflections on computer screens. The design of modern workplaces actually has such a significant effect on the health and well-being of employees that information, guidelines and legal regulations have been created to ensure this is taken into consideration.

From 1996 to 2016, the German Screen Work Ordinance (BildscharbV) represented the German implementation of the authoritative EU regulations in this area. When the German Workplace Ordinance (ArbStättV) was amended on 3 December 2016, the BildscharbV was merged with the ArbStättV, which is legally binding in Germany. The ArbStättV covers every aspect of designing workplaces and working conditions with regard to the health and safety of employees.

What are considered good conditions for DSE workstations?

- Every window must be fitted with a suitable, individually adjustable privacy shield and glare protection device
- Annoying reflections and glare on screens must be prevented as much as possible
- Equipment should be adjustable so that users have a line of sight to the outside world, for most of the time at least
- It must be possible to react flexibly to changing daylight conditions
- The workplace must be sufficiently lit
- Screens must be at an approximately 90° angle in relation to the window in order to reduce reflections in general (note examples provided by the German Social Accident Insurance)

Practical information about implementing the EU directive can be found at:

German Social Accident Insurance
DGUV Information 215-444
(sun protection in offices).

Further information can be found in the brochure "Information on the classification of textile drapes for privacy shields and sun protection according to DIN EN 14501" published by ViS (Verband innenliegender Sicht- und Sonnenschutz e. V.).

Find easy and attractive ways to implement legal requirements with KADECO

Workplace windows must have an effective and flexible glare protection system in place so that employees can benefit from daylight, but won't be disturbed. Since you can individually react to the amount of incident light with KADECO's interior privacy screens and sunscreens, these are suitable as internal glare protection at the workplace. Use the designated glare protection classes as a guide to find the optimum fabric for your workplace glare protection. For more information, see the glare protection classes overview on Page 15.

Current legal requirements, standards and directives:

- German Workplace Ordinance, ArbStättV, Appendix 6 (measures for the design of DSE workstations)
- Technical regulations for workplaces, ASR 3.4 (lighting)
- German Social Accident Insurance, DGUV Information 215-444
- Lighting of work places - Indoor work places, EN 12464-1
- Ergonomic requirements for office work with visual display terminals EN ISO 9241-6

Note

This information does not claim to be complete, and does not exclude any other equivalent technical solutions that are equally safe. In certain unfavourable situations, additional externally located glare protection may be necessary.

SYMBOLS AND FINISHING

The indoor climate and the visual effect of a roller blind are dictated by the fabric's properties. A fabric can be technically assessed on the basis of the light and solar values in percent and its response to incident sunlight evaluated.



Material

CV/VI = viscose

PES = polyester

PVC = polyvinyl

PET = polyethylene terephthalate laminate

LI = linen

rPES = recycled polyester



= Trevira CS

VISUAL PROPERTIES

This describes the effect of the roller blinds on the proportion of sunlight that is visible to the human eye (380-780 nm).

The reflection, transmission and absorption values indicated below always add up to 100%.



Reflectance (visual)

The light reflectance according to EN 14501 indicates which proportion of visible sunlight is reflected by the fabric.



Transmittance value (visual)

The light transmittance according to EN 14501 indicates which proportion of visible sunlight can penetrate the fabric.



Absorption grade (visual)

The light absorption grade according to EN 14501 indicates which proportion of visible sunlight is absorbed by the fabric.

SOLAR PROPERTIES

Solar radiation in both the visible and the invisible ranges must be considered when evaluating the properties of the roller blinds.

The values for reflection, transmission and absorption below therefore refer to the sun's full radiation spectrum.



Reflectance (solar)

The solar reflectance according to EN 14501 indicates which proportion of incident sunlight (entire spectrum) is reflected by the fabric.



Transmittance (solar)

The solar transmittance according to EN 14501 indicates which proportion of incident sunlight (entire spectrum) can penetrate the fabric.



Absorption grade (solar)

The solar absorption grade according to EN 14501 indicates which proportion of incident sunlight (entire spectrum) is absorbed by the fabric.

CLASSIFCATION OF ROLLER BLINDS AS PER DIN EN 14501

Besides improving a room’s look, an internal privacy shield and sun protection also helps increase its visual and thermal comfort. Glare protection, transparency, privacy shield, heat protection in summer and black-out performance are the most important functions of textile drapes. However, the extent to which individual products fulfil these functions varies greatly.

In order to create clarity for you as a user, the ViS (Verband innenliegender Sicht- und Sonnenschutz e.V.) has developed symbols that are based on the latest version of the European standard DIN EN 14501 and that are explained below.

TRANSPARENCY

How well can you see outside when the drapes are closed? This is indicated by the symbols for the “transparency” function.

 **Transparency 0**
You cannot see outside at all.

 **Transparency 1**
Transparency is extremely limited, with outlines dimly discernible.

 **Transparency 2**
Transparency is limited, but outlines are clearly recognisable.

 **Transparency 3**
You can look outside with few limitations, and at a distance of 10 metres it is possible to recognise people.

 **Transparency 4**
You can look outside almost unhindered.



PRIVACY SHIELD

How well can people or objects in a home be seen and recognised from outside in normal nighttime lighting conditions? This is indicated by the symbols for the "privacy shield" function.

 **Privacy shield 0**
Unobstructed view into the home. Persons are clearly recognisable.

 **Privacy shield 1**
Few restrictions to seeing into the home. Persons are still recognisable.

 **Privacy shield 2**
There is a certain amount of privacy. Silhouettes can always be recognised, and in unfavourable lighting conditions even persons themselves.

 **Privacy shield 3**
An almost complete privacy shield. Silhouettes of people can only be recognised if they are standing a short distance (approx. one metre) from the drape.

 **Privacy shield 4**
No view at all from the outside to the inside, and so persons are not recognisable.

GLARE PROTECTION

To what extent does a drape reduce the risk of glare by reducing the ingress of sunlight and preventing you from looking directly at the sun? This is indicated by the symbols for the "glare protection" function. Important points: Daylight is essential to human well-being. It has a positive influence on health, as well as on a person's ability to concentrate and perform. Little or no daylight is let through if the glare protection is too strong. The drape should therefore ensure that people are not dazzled, but at the same time it should still let in enough daylight to ensure their wellbeing. It is also worth bearing in mind that a light fabric of the same classification diffuses more light into the room than a dark one.

The decision as to what feels more pleasant is a subjective one: a surface perceived as bright, which at the same time offers less visibility to the outside, or a darker surface with individual dazzling points of light, which at the same time opens up more visibility to the outside. Glare protection is useful for all façades facing east, south or west: Direct sunlight always falls here at certain times of the day and year, and this can cause glare. Façades facing north-east, north and north-west can manage without glare protection - reflections from buildings opposite must be taken into account here if necessary, as these can also cause glare.

 **Glare protection 0**
Products in this class provide **absolutely no glare protection**.

 **Glare protection 1**
There is only limited glare protection. This makes this class only suitable for a few applications, e.g. on north-facing façades when no glare from a façade opposite is possible. This class is not suitable for computer workstations, particularly **on façades facing east, south or west**.

 **Glare protection 2**
Glare protection is almost always guaranteed. This class is an appropriate choice for most work involving computer screens. This class not sufficient for just a few applications, for example when the screen is positioned frontally to the window. Darkening is only slight, which means that there is usually no need to use artificial lighting during the day. **Suitable for façades facing east, south or west.**

 **Glare protection 3**
Glare protection is guaranteed in most cases. It is not sufficient only in extreme cases, for example when the screen is positioned frontally to the window and the smallest details have to be recognised. The room is darkened to the extent that artificial lighting must be used. **Suitable for façades facing east, south or west.**

 **Glare protection 4**
100 percent glare prevention. The room is darkened a great deal, to the extent that artificial lighting must be used. **Suitable for façades facing east, south or west.**



BLACKOUT

To what extent does a fully-closed drape reduce the amount of light entering the room? This is indicated by the symbol for "blackout". We only state the classification of the drape material below. The blackout class (for example "B.3") as per DIN EN 14501 is derived only in combination with the frame classification (the technical hardware A-E).



Blackout 0

Only a minimal reduction in the amount of light entering the room.



Blackout 1

The drape slightly reduces the amount of light entering the room.



Blackout 2

The drape noticeably reduces the amount of light entering the room. For bedrooms, this class is suitable in combination with side guide rails.



Blackout 3

The drape almost completely reduces the amount of light entering the room. For normal bedrooms, this class is ideally suitable in combination with side guide rails.



Blackout 4

The drape prevents light from entering the room. The systems in the pleated blinds range are not suitable for a complete room blackout, as they cannot fully prevent light from entering the room around the blind's fabric.

SUMMER HEAT PROTECTION

To what extent does a drape prevent a room from heating up? This is indicated by the symbol for the "summer heat protection" function. The classification assumes that heat protection glazing is present.



Heat protection 0

There is a minimum heat reduction compared with glazing without drapes.



Heat protection 1

Heating is slightly reduced.



Heat protection 2

Heating is reduced much more noticeably.



Heat protection 3

Heating is reduced considerably and very well.



Heat protection 4

Heating is optimally reduced.





FABRIC PROPERTIES



Low flammability

Fire behaviour of the material tested to various standards and classified as follows:
B1 = flame-resistant according to DIN 4102-1
M1 = non-flammable according to NF P 92-503-507



Fade resistance

The fade resistance of KADECO fabrics denotes the resistance of the textiles to long-term exposure to light. The higher the value of the fabric, the more resistant it is to the effects of light.



PVC free

This feature ensures the textiles are free from plasticisers.



OEKO-TEX® Standard 100

This label is a certification for fabrics which are made of materials tested for harmful substances and manufactured using environmentally friendly processes. In addition, safe and socially responsible working conditions are guaranteed. OEKO-TEX® Standard 100 indicates a low-emission fabric and rules out harmful chemicals.



Pearlescent finish

KADECO's pearlescent-coated fabrics offer multiple benefits: The finish is particularly efficient at reflecting high levels of light and heat radiation. We particularly recommend these fabrics for large areas of glass as well as for offices or conservatories.



Aluminisation

Aluminised fabrics have good reflection properties and provide comprehensive glare and thermal protection. However, the aluminised fabrics react sensitively to insect excrement and glass cleaners, which may attack the coating in parts.



Suitable for panel tracks

All of the fabrics in our collection that bear this pictogram are suitable for panel tracks.



Sound absorbing

In order to improve indoor acoustics, we offer sound-absorbing fabrics that have measurable effects and which are certified in sound-absorbing classes according to EN ISO 11654.



Fungicidal finish

This finish has a fungicidal effect. Due to this property, mould cannot penetrate the fabric.



Antimicrobial

Pleated blind fabrics featuring permanent antimicrobial protection are an effective precaution, particularly in locations where hygiene is of the utmost importance, such as doctor's surgeries, hospital wards, etc. They prevent the growth of various types of bacteria and Fungus (e.g., in wet rooms), thereby significantly reducing the risk of infection.



Antiviral

Specially developed materials to impede the spread of viruses.

SYSTEM WIDTH



Maximum system width

The dimension X corresponds to the maximum possible system width, as the fabric is shown on the sample cards.



Maximum system width with cross seam

If the fabric can also be turned, the dimension X corresponds to the maximum possible system width. In this case, the roller blind has a visible cross seam from a height Y, measured from below.

CARE INFORMATION

KADECO pleated blinds are resistant to dust and dirt because of the special coating that is applied to both sides. However, should you still wish to clean them, please follow the specific care instructions by referring to the cleaning symbols.



Brushing

Dirt such as dust can generally be removed with a soft clothes brush or carefully vacuumed off.



Damp cloth

To moist-wipe the pleated blind, place it on a smooth surface. Wipe the pleated blind carefully on both sides with a soft cloth that has been moistened with mild detergent.



Cleaning bath

Loosely roll up the individual lengths of fabric. Reach into the rolled up length of fabric from the side and move it around in warm mild detergent (max. 30 °C) for no more than 10-15 minutes. After immersing the fabric, rinse it out with clean water, let it drip for a moment and then hang it back up while still wet. Once the end profile has been attached to the lengths of fabric, hang them up (with a towel underneath to catch the drips) and allow them to dry with the window open.

PLEASE NOTE

Do not iron the fabrics!

Mechanical parts of electrical units must not come into contact with water!

If you are cleaning glass and window frames, never use abrasive or alkali detergents. We cannot accept any liability for fabric damage caused by condensation, detergents or insects soiling the fabric. Nor can we accept any liability for any consequential damage due to incorrect handling of our products.

Please see our product overview for recommendations on how to care for the various fabrics.

PRODUCT OVERVIEW

Art. no.	Name	Page								Photometric values				Solar values																																																																																																																																																					
----------	------	------	---	---	---	---	---	---	---	--------------------	--	--	--	--------------	--	--	--	---	---	--	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--

Art. no.	Name	Page																		
03968	Sleek FR	Dark Pearl	PES	-	-	210	0,36	B1/M1		%	R _f	%	T _f	%	A _f	%	S _f	%	I _f	CLP
03969	Sleek FR	Warm Monochrome	PES	-	-	210	0,36	B1/M1		%	R _f	%	T _f	%	A _f	%	S _f	%	I _f	CLP
10220	Gleam	Timeless Classics Sand	PES	-		200	0,30	-	6-7	76	15	9	72	19	9	-	3	1	1	CLP, CLK
10313	Living Colours BO	9 of 12	PES	-	-	367	0,49	-	3-4	77	0	23	76	0	24	-	4	0	0	-
10314	Living Colours BO	10 of 12	PES	-	-	367	0,49	-	3-4	62	0	38	68	0	32	-	4	0	0	-
10315	Living Colours BO	10 of 12	PES	-	-	367	0,49	-	3-4	79	0	21	88	0	12	-	4	0	0	-
10317	Living Colours BO	9 of 12	PES	-	-	367	0,49	-	3-4	31	0	69	60	0	40	-	4	0	0	-
10318	Living Colours BO	9 of 12	PES	-	-	367	0,49	-	3-4	30	0	70	40	0	60	-	4	0	0	-
10319	Living Colours BO	10 of 12	PES	-	-	367	0,49	-	3-4	67	0	33	70	0	30	-	4	0	0	-
10320	Living Colours BO	10 of 12	PES	-	-	367	0,49	-	3-4	67	0	33	67	0	33	-	4	0	0	-
10320	Colour BO	Mellow Gold	PES	-	-	367	0,49	-	3-4	67	0	33	67	0	33	-	4	0	0	-
10321	Living Colours BO	12 of 12	PES	-	-	367	0,49	-	3-4	30	0	70	55	0	45	-	4	0	0	-
10322	Colour BO	Colour Fusion	PES	-	-	367	0,49	-	3-4	24	0	75	50	0	50	-	4	0	0	-
10323	Living Colours BO	12 of 12	PES	-	-	367	0,49	-	3-4	28	0	72	54	0	46	-	4	0	0	-
10326	Colour BO	Colour Fusion	PES	-	-	367	0,49	-	3-4	29	0	71	55	0	45	-	4	0	0	-
10327	Living Colours BO	12 of 12	PES	-	-	367	0,49	-	3-4	28	0	72	54	0	46	-	4	0	0	-
10328	Living Colours BO	12 of 12	PES	-	-	367	0,49	-	3-4	43	0	57	57	0	43	-	4	0	0	-
10580	Cosmic Alu BO	Mellow Gold	PES	-		310	0,50	-	>5	62	0	38	-	-	-	-	4	-	-	-
10581	Cosmic Alu BO	Indigo Illusion	PES	-		310	0,50	-	>5	62	0	38	-	-	-	-	4	-	-	-
10582	Cosmic Alu BO	White Essence	PES	-		310	0,50	-	>5	62	0	38	-	-	-	-	4	-	-	-
10583	Cosmic Alu BO	Dark Pearl	PES	-		310	0,50	-	>5	62	0	38	-	-	-	-	4	-	-	-
12042	Living Colours BO	10 of 12	PES	-	-	367	0,49	-	3-4	40	0	60	53	0	47	-	4	0	0	-
12044	Living Colours BO	11 of 12	PES	-	-	367	0,49	-	3-4	54	0	46	61	0	39	-	4	0	0	-
12045	Living Colours BO	11 of 12	PES	-	-	367	0,49	-	3-4	27	0	73	47	0	53	-	4	0	0	-
12046	Living Colours BO	9 of 12	PES	-	-	367	0,49	-	3-4	25	0	75	39	0	61	-	4	0	0	-
12047	Living Colours BO	11 of 12	PES	-	-	367	0,49	-	3-4	43	0	57	52	0	48	-	4	0	0	-
12110	Habitat	1 of 12	PES	-	-	200	0,43	-	6	43	32	25	43	33	24	-	2	0	2	CLP, CLK

PRODUCT OVERVIEW

Art. no.	Name	Page				g/m²																								
12145	Plano FR	6 of 11	PES	-	-	220	0,30	B1/M1	6-7	84	15	1	72	16	12	1	3	3	0	1	✓									CLP, CLK
12146	Plano FR	6 of 11	PES	-	-	220	0,30	B1/M1	6-7	71	15	14	64	17	19	1	2	2	0	1	✓									CLP, CLK
12147	Plano FR	6 of 11	PES	-	-	220	0,30	B1/M1	6-7	69	9	22	64	13	23	1	3	3	0	1	✓									CLP, CLK
12148	Plano FR	6 of 11	PES	-	-	220	0,30	B1/M1	6-7	55	5	40	52	7	41	1	3	3	0	1	✓									CLP, CLK
12149	Plano FR	6 of 11	PES	-	-	220	0,30	B1/M1	6-7	30	0	70	29	2	69	0	4	4	1	1	✓									CLP, CLK
12150	Plano FR	6 of 11	PES	-	-	220	0,30	B1/M1	6-7	16	6	78	13	18	69	0	4	4	2	0	✓									CLP, CLK
12161	Plain BO	Laguna	PES	-	-	290	0,45	-	6-7	84	0	16	71	0	29	0	4	4	4	1	✓									-
12163	Plain BO	Timeless Classics Sand	PES	-	-	290	0,45	-	6-7	84	0	16	71	0	29	0	4	4	4	1	✓									-
12187	Weave	Dark Pearl	PES	-	-	210	0,45	-	6-7	8	5	87	8	11	81	2	2	2	3	1	✓									CLP, CLK
13142	Plano FR	6 of 11	PES	-	-	220	0,30	B1/M1	6-7	44	12	44	39	16	45	1	3	3	1	1	✓									CLP, CLK
13143	Plano FR	6 of 11	PES	-	-	220	0,30	B1/M1	6-7	41	5	54	37	10	53	1	3	3	1	1	✓									CLP, CLK
13255	Living Colours BO	9 of 12	PES	-	-	367	0,49	-	3-4	26	0	74	50	0	50	0	4	4	4	0	-									-
13256	Living Colours BO	9 of 12	PES	-	-	367	0,49	-	3-4	14	0	86	40	0	60	0	4	4	4	0	-									-
13257	Living Colours BO	10 of 12	PES	-	-	367	0,49	-	3-4	73	0	27	72	0	28	0	4	4	4	0	-									-
13258	Living Colours BO	10 of 12	PES	-	-	367	0,49	-	3-4	77	0	23	74	0	26	0	4	4	4	0	-									-
13259	Living Colours BO	11 of 12	PES	-	-	367	0,49	-	3-4	52	0	48	45	0	55	0	4	4	4	0	-									-
13260	Living Colours BO	11 of 12	PES	-	-	367	0,49	-	3-4	26	0	74	49	0	51	0	4	4	4	0	-									-
13260	Colour BO	Laguna	PES	-	-	367	0,49	-	3-4	26	0	74	49	0	51	0	4	4	4	0	-									-
13266	Colour BO	Colour Fusion	PES	-	-	367	0,49	-	3-4	17	0	83	46	0	54	0	4	4	4	0	-									-
13386	Luxe	Warm Monochrome	PES	-		190	0,40	-	7	29	2	69	27	5	68	0	4	3	3	2	✓									CLP
13390	Habitat	1 of 12	PES	-	-	200	0,43	-	7	54	46	0	53	47	0	0	2	0	2	2	✓									CLP, CLK
13391	Habitat	1 of 12	PES	-	-	200	0,43	-	5-6	31	21	48	33	24	43	0	2	1	0	2	✓									CLP, CLK
13392	Habitat	1 of 12	PES	-	-	200	0,43	-	6-7	37	31	32	38	33	29	0	2	0	0	2	✓									CLP, CLK
13393	Habitat	1 of 12	PES	-	-	200	0,43	-	7	24	11	65	25	14	61	0	3	3	0	2	✓									CLP, CLK
13394	Habitat	1 of 12	PES	-	-	200	0,43	-	7	15	6	79	17	8	75	0	3	4	1	2	✓									CLP, CLK

Art. no.	Name	Page								Photometric values			Solar values																							
						g/m²				%	%	A	R	T	S	%	%	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
13395	Habitat	2 of 12	PES	-	-	200	0,43	-	5-6	53	43	4	50	42	8	0	2	0	0	2	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
13396	Habitat	2 of 12	PES	-	-	200	0,43	-	5-6	40	32	28	42	35	23	0	2	0	0	2	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
13397	Habitat	2 of 12	PES	-	-	200	0,43	-	6	26	15	59	30	20	50	0	2	3	0	2	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
13398	Habitat	2 of 12	PES	-	-	200	0,43	-	7	29	21	50	29	23	48	0	2	2	0	2	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
13399	Habitat	Indigo Illusion	PES	-	-	200	0,43	-	7	9	1	90	13	5	82	0	4	4	3	2	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
13663	Screen Basic FR	1 of 8	30% PES / 70% PVC	-	-	460	0,60	B1	≥7	76	19	5	70	22	8	2	1	0	0	2	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	CLP, CLK
13664	Screen Basic FR	1 of 8	30% PES / 70% PVC	-	-	460	0,60	B1	≥7	63	15	22	57	19	24	2	1	0	0	2	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	CLP, CLK
13665	Screen Basic FR	1 of 8	30% PES / 70% PVC	-	-	460	0,60	B1	≥7	47	9	44	43	12	45	3	1	0	0	1	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	CLP, CLK
13666	Screen Basic FR	1 of 8	30% PES / 70% PVC	-	-	460	0,60	B1	≥7	46	16	38	39	13	48	3	1	0	0	1	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	CLP, CLK
13667	Screen Basic FR	1 of 8	30% PES / 70% PVC	-	-	460	0,60	B1	≥7	3	6	91	3	6	91	3	1	0	0	1	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	CLP, CLK
13936	Daze BO	Mellow Gold	PES	-	-	280	0,47	-	6-7	35	0	65	31	0	69	0	4	4	4	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13937	Daze BO	Laguna	PES	-	-	280	0,47	-	6-7	55	0	45	52	0	48	0	4	4	4	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13939	Gleam	Evergreen	PES	-		200	0,30	-	6-7	58	16	26	47	19	34	1	3	2	3	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
13942	Weave	Timeless Classics Grey	PES	-	-	210	0,45	-	6-7	27	9	64	26	13	61	2	2	2	2	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
13943	Weave	Mellow Gold	PES	-	-	210	0,45	-	6-7	68	14	18	67	17	16	2	2	2	0	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
13944	Weave	Indigo Illusion	PES	-	-	210	0,45	-	6-7	30	8	62	27	13	60	2	2	2	2	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
20700	Plano Pearl FR	7 of 11	PES	-		240	0,35	B1/M1	6-7	85	9	6	76	12	12	1	2	2	0	2	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
20701	Plano Pearl FR	7 of 11	PES	-		240	0,35	B1/M1	6-7	79	10	11	71	13	16	1	2	2	0	2	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
20707	Glad	Laguna	PES	-	-	150	0,35	-	5-6	59	14	27	52	18	30	2	2	1	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK	
20714	Studio FR	3 of 11		-	-	170	0,35	B1/M1	6-7	55	42	3	48	32	20	2	1	1	0	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
20717	Studio FR	3 of 11		-	-	170	0,35	B1/M1	6-7	54	45	1	50	43	7	2	1	1	0	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
20718	Studio FR	3 of 11		-	-	170	0,35	B1/M1	6-7	46	31	23	49	36	15	2	1	1	0	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
20720	Studio FR	3 of 11		-	-	170	0,35	B1/M1	6-7	30	20	50	42	32	26	3	2	2	0	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
20722	Sense	White Essence	PES	-	-	120	0,28	-	6-7	47	38	15	42	42	16	3	1	1	0	1	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	CLP, CLK
20724	Plano BO FR	8 of 11	PES	-	-	420	0,50	B1/M1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20725	Plano BO FR	8 of 11	PES	-	-	420	0,50	B1/M1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Art. no.	Name	Page				g/m²			Photometric values				Solar values														
20726	Plano BO FR	8 of 11	PES	-	-	420	0.50	B1/M1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	✓	-	-	-	-	-
20727	Plano BO FR	8 of 11	PES	-	-	420	0.50	B1/M1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	✓	-	-	-	-	-
20728	Plano BO FR	8 of 11	PES	-	-	420	0.50	B1/M1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	✓	-	-	-	-	-
22017	Core	Indigo Illusion	PES	-	-	180	0.40	-	5-6	10	25	65	45	50	5	-	-	1	-	-	✓	✓	-	-	-	-	CLP, CLK
22034	Plano Pearl FR	7 of 11	PES	-		240	0.35	B1/M1	6-7	56	4	40	43	9	48	1	3	2	1	1	✓	✓	-	-	-	-	CLP, CLK
22130	Weave BO	White Essence	PES	-	-	360	0.55	-	6-7	84	0	16	71	0	29	0	4	4	4	1	✓	✓	-	-	-	-	-
22135	Weave BO	Timeless Classics Sand	PES	-	-	360	0.55	-	6-7	84	0	16	71	0	29	0	4	4	4	1	✓	✓	-	-	-	-	-
22151	Plano Pearl FR	7 of 11	PES	-		240	0.35	B1/M1	6-7	77	7	16	70	11	19	1	2	2	0	2	✓	✓	-	-	-	-	CLP, CLK
22152	Plano Pearl FR	7 of 11	PES	-		240	0.35	B1/M1	6-7	70	3	27	64	6	30	0	4	4	0	1	✓	✓	-	-	-	-	CLP, CLK
22153	Plano Pearl FR	7 of 11	PES	-		240	0.35	B1/M1	6-7	59	0	41	52	1	47	1	3	3	1	1	✓	✓	-	-	-	-	CLP, CLK
22155	Plano BO FR	8 of 11	PES	-	-	420	0.50	B1/M1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	✓	-	-	-	-	-
22159	Studio FR	3 of 11		-	-	170	0.35	B1/M1	6-7	16	13	71	13	12	75	3	2	2	0	1	✓	✓	-	-	-	-	CLP, CLK
22167	Glad	White Essence	PES	-	-	150	0.35	-	5-6	69	19	12	63	22	15	2	2	1	0	1	✓	✓	-	-	-	-	CLP, CLK
22178	Sense	Indigo Illusion	PES	-	-	120	0.28	-	6-7	45	29	26	48	32	20	3	1	1	0	1	✓	✓	-	-	-	-	CLP, CLK
23013	Core	Mellow Gold	PES	-	-	180	0.40	-	5-6	20	25	55	35	45	20	-	-	1	-	-	✓	✓	-	-	-	-	CLP, CLK
23014	Core	Laguna	PES	-	-	180	0.40	-	5-6	10	25	65	35	30	35	-	-	2	-	-	✓	✓	-	-	-	-	CLP, CLK
23016	Core	Colour Fusion	PES	-	-	180	0.40	-	5-6	10	25	65	30	35	35	-	-	1	-	-	✓	✓	-	-	-	-	CLP, CLK
23032	Plano Pearl FR	7 of 11	PES	-		240	0.35	B1/M1	6-7	66	3	31	64	5	31	1	2	2	1	1	✓	✓	-	-	-	-	CLP, CLK
23033	Plano Pearl FR	7 of 11	PES	-		240	0.35	B1/M1	6-7	54	1	45	49	2	49	1	3	3	2	1	✓	✓	-	-	-	-	CLP, CLK
23251	Screen Textile	3 of 8	30% PES / 70% PVC	-	-	428	0.73	-	>7	41	22	37	47	28	25	-	-	0	0	✓	-	✓	-	✓	-	-	CLP, CLK
23252	Screen Textile	3 of 8	30% PES / 70% PVC	-	-	428	0.73	-	>7	28	12	60	31	17	52	-	-	0	0	✓	-	✓	-	✓	-	-	CLP, CLK
23253	Screen Textile	3 of 8	30% PES / 70% PVC	-	-	428	0.73	-	>7	14	8	78	13	9	78	-	-	0	0	✓	-	✓	-	✓	-	-	CLP, CLK
23254	Screen Textile	3 of 8	30% PES / 70% PVC	-	-	428	0.73	-	>7	9	8	83	8	8	84	-	-	0	0	✓	-	✓	-	✓	-	-	CLP, CLK
23265	Solid BO	Warm Monochrome	PES	-	-	350	0.50	-	5-6	0	20	75	0	25	0	-	-	4	-	-	✓	✓	-	-	-	-	-

Art. no.	Name	Page				g/m²			Photometric values			Solar values													
23279	Loom	Timeless Classics Grey	PES	-	-	215	0,45	-	7	70	20	10	63	21	16	0	2	2	1	2	✓	-	-	-	CLP
23598	Lasting	Timeless Classics Grey	80% rPES / 20% PES	✓	-	175	0,36	-	6	40	38	22	42	39	19	0	2	0	0	1	✓	-	-	-	CLP, CLK
23599	Lasting	Mellow Gold	80% rPES / 20% PES	✓	-	175	0,36	-	5-6	48	41	11	46	40	14	0	2	0	0	1	✓	-	-	-	CLP, CLK
23600	Lasting	Evergreen	80% rPES / 20% PES	✓	-	175	0,36	-	6	43	37	20	43	37	20	0	2	0	0	1	✓	-	-	-	CLP, CLK
23601	Lasting	Indigo Illusion	80% rPES / 20% PES	✓	-	175	0,36	-	6	37	33	30	41	36	23	0	2	0	0	1	✓	-	-	-	CLP, CLK
23712	Studio FR	3 of 11		-	-	170	0,35	B1/M1	6-7	39	17	44	37	28	35	3	1	1	0	1	✓	-	-	-	CLP, CLK
23713	Studio FR	3 of 11		-	-	170	0,35	B1/M1	6-7	26	22	52	39	34	27	3	1	1	0	1	✓	-	-	-	CLP, CLK
23723	Plano BO FR	8 of 11	PES	-	-	420	0,50	B1/M1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	-	-	-	-
23729	Plano BO FR	8 of 11	PES	-	-	420	0,50	B1/M1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	-	-	-	-
23940	Gleam BO	Timeless Classics Grey	PES	-	-	320	0,45	-	6-7	84	0	16	71	0	29	0	4	4	4	1	✓	-	-	-	-
23941	Glad	Laguna	PES	-	-	150	0,35	-	5-6	18	13	69	14	17	69	2	2	1	1	1	✓	-	-	-	CLP, CLK
23945	Weave BO	Dark Pearl	PES	-	-	360	0,55	-	6-7	84	0	16	71	0	29	0	4	4	4	1	✓	-	-	-	-
23946	Leger	Dark Pearl	PES	-	-	200	0,37	-	5-6	24	21	55	20	24	56	3	1	1	1	1	✓	-	-	-	CLP
23947	Leger	Warm Monochrome	PES	-	-	200	0,37	-	5-6	19	18	63	17	22	61	3	1	1	1	1	✓	-	-	-	CLP
23948	Sense	Dark Pearl	PES	-	-	120	0,28	-	6-7	16	16	68	21	18	61	3	1	0	0	0	✓	-	-	-	CLP, CLK
23949	Sense	Timeless Classics Sand	PES	-	-	120	0,28	-	6-7	39	26	35	37	25	38	3	1	1	0	1	✓	-	-	-	CLP, CLK
23950	Sense	Warm Monochrome	PES	-	-	120	0,28	-	6-7	27	23	50	26	24	50	3	1	1	0	1	✓	-	-	-	CLP, CLK
23955	Sense	Laguna	PES	-	-	120	0,28	-	6-7	15	15	70	13	14	73	3	1	1	0	1	✓	-	-	-	CLP, CLK
23957	Sense	Colour Fusion	PES	-	-	120	0,28	-	6-7	16	14	70	14	14	72	3	1	1	0	1	✓	-	-	-	CLP, CLK
30102	Grove	White Essence	PES	-	-	180	0,40	-	≥6	50	50	0	45	50	5	-	-	0	-	-	✓	-	-	-	-
30103	Grove	Mellow Gold	PES	-	-	180	0,40	-	≥6	45	50	5	45	50	5	-	-	0	-	-	✓	-	-	-	-
30115	Lines	White Essence	PES	-	-	170	0,65	-	≥7	45	50	5	50	45	5	-	-	0	-	-	✓	-	-	-	CLP, CLK
30403	Medi-Text FR	9 of 11	PES	-	-	280	0,43	B1	5-6	86	11	3	78	13	9	0	3	3	0	2	✓	✓	✓	-	CLP, CLK
30404	Medi-Text FR	9 of 11	PES	-	-	280	0,43	B1	6	55	2	43	50	3	47	0	4	4	0	2	✓	✓	✓	-	CLP, CLK
30516	Ambiente FR	1 of 11		-	-	135	0,35	B1/M1	5-7	45	55	0	45	54	1	2	0	0	0	1	✓	-	-	-	CLP, CLK
30900	Comfort Acoustic FR	4 of 11		-	-	270	0,49	B1/M1	6-7	61	37	2	58	36	6	0	2	0	0	1	✓	-	-	-	CLP, CLK
30902	Comfort Acoustic FR	4 of 11		-	-	270	0,49	B1/M1	6-7	44	20	36	51	28	21	0	2	1	0	1	✓	-	-	-	CLP, CLK

PRODUCT OVERVIEW

Art. no.	Name	Page						Photometric values				Solar values											
						g/m²			%		%		%		%		%						
30915	Comfort Acoustic FR	4 of 11		-	-	270	0.49	B1/M1	6-7	62	35	3	59	35	6	0	2	0	0	1	✓	-	CLP, CLK
32112	Spring	Timeless Classics Sand	PES	-	-	175	0.38	-	6-7	42	35	23	44	36	20	0	2	0	0	1	✓	-	CLP, CLK
32126	Ambiente FR	1 of 11		-	-	135	0.35	B1/M1	5-7	45	52	3	43	50	7	2	0	0	0	1	✓	-	CLP, CLK
32196	Comfort Acoustic FR	4 of 11		-	-	270	0.49	B1/M1	6-7	44	24	32	52	31	17	0	2	0	0	1	✓	-	CLP, CLK
32197	Comfort Acoustic FR	4 of 11		-	-	270	0.49	B1/M1	6-7	25	10	65	43	24	33	1	2	2	0	0	✓	-	CLP, CLK
32198	Comfort Acoustic FR	4 of 11		-	-	270	0.49	B1/M1	6-7	9	3	88	35	19	46	2	2	3	0	0	✓	-	CLP, CLK
32301	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	76	19	5	67	22	11	0	2	2	0	2	✓	-	-
32302	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	83	12	5	72	15	13	1	2	2	0	2	✓	-	-
32303	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	60	4	36	53	7	40	0	4	4	0	0	✓	-	-
32304	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	72	10	18	64	15	21	1	2	2	0	1	✓	-	-
32305	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	16	1	83	17	3	80	2	2	4	2	0	✓	-	-
32306	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	4	0	96	4	0	96	0	4	4	3	0	✓	-	-
32401	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	74	24	2	65	28	7	0	2	0	0	2	✓	-	-
32402	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	83	16	1	71	20	9	1	2	0	0	2	✓	-	-
32403	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	54	9	37	48	13	39	1	2	1	0	1	✓	-	-
32404	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	69	16	15	61	20	19	1	2	0	0	1	✓	-	-
32405	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	15	5	80	16	7	77	2	2	1	0	0	✓	-	-
32406	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	4	5	91	4	5	91	2	2	1	0	0	✓	-	-
32407	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	33	6	61	31	9	60	2	2	1	0	0	✓	-	-
32408	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	44	7	49	39	10	51	2	2	1	0	1	✓	-	-
32409	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	10	4	86	9	5	86	2	2	1	0	0	✓	-	-
32449	Palm	Evergreen	PES	-	-	102	0.31	-	6	40	30	30	44	37	18	-	-	-	0	-	-	✓	CLP, CLK
32501	Screen Classic FR OF 5%	7 of 8	25% PES / 75% PVC	-	-	420	0.55	B1/M1	>7	70	26	4	62	29	9	1	1	0	0	2	✓	-	-
32502	Screen Classic FR OF 5%	7 of 8	25% PES / 75% PVC	-	-	420	0.55	B1/M1	>7	78	19	3	67	22	11	2	1	0	0	2	✓	-	-

Art. no.	Name	Page							Photometric values			Solar values										
						g/m²			%		%		%									
32503	Screen Classic FR OF 5%	7 of 8	25% PES / 75% PVC	-	-	420	0.55	B1/M1	>7	50	9	41	45	13	42	1	0	1	✓	-	-	-
32504	Screen Classic FR OF 5%	7 of 8	25% PES / 75% PVC	-	-	420	0.55	B1/M1	>7	65	19	16	57	22	21	2	0	1	✓	-	-	-
32505	Screen Classic FR OF 5%	7 of 8	25% PES / 75% PVC	-	-	420	0.55	B1/M1	>7	15	6	79	16	8	76	2	1	0	✓	-	-	-
32506	Screen Classic FR OF 5%	7 of 8	25% PES / 75% PVC	-	-	420	0.55	B1/M1	>7	4	8	88	4	8	88	3	0	0	✓	-	-	-
32507	Screen Classic FR OF 5%	7 of 8	25% PES / 75% PVC	-	-	420	0.55	B1/M1	>7	32	7	61	30	10	60	3	0	0	✓	-	-	-
32508	Screen Classic FR OF 5%	7 of 8	25% PES / 75% PVC	-	-	420	0.55	B1/M1	>7	41	9	50	37	12	51	3	0	1	✓	-	-	-
32509	Screen Classic FR OF 5%	7 of 8	25% PES / 75% PVC	-	-	420	0.55	B1/M1	>7	10	6	84	10	7	83	3	0	0	✓	-	-	-
32602	Screen Classic FR OF 10%	8 of 8	25% PES / 75% PVC	-	-	390	0.50	B1	7	77	19	4	60	31	9	2	0	1	✓	-	-	-
32603	Screen Classic FR OF 10%	8 of 8	25% PES / 75% PVC	-	-	390	0.50	B1	7	52	15	33	46	18	36	2	0	0	✓	-	-	-
32605	Screen Classic FR OF 10%	8 of 8	25% PES / 75% PVC	-	-	390	0.50	B1	7	14	11	75	15	13	72	3	0	0	✓	-	-	-
33261	Shape	White Essence	PES	-	-	150	0.65	-	5-6	45	50	5	40	45	15	-	0	1	-	-	-	CLP
33262	Art	Laguna	PES	-	-	180	0.60	-	≥7	25	45	30	35	60	5	-	0	-	✓	-	-	CLP, CLK
33263	Art	Colour Fusion	PES	-	-	180	0.60	-	≥7	25	45	30	35	60	5	-	0	-	✓	-	-	CLP, CLK
33278	Grace	Timeless Classics Grey	PES	-	-	215	0.45	-	7	79	6	15	71	8	21	0	3	4	3	2	✓	CLP
33281	Sprout	Dark Pearl	PES	-	-	215	0.46	-	7	70	11	19	62	13	25	0	3	3	2	2	✓	CLP
33282	Sprout	Timeless Classics Grey	PES	-	-	215	0.46	-	7	74	17	9	66	18	16	0	3	3	2	2	✓	CLP
33283	Sprout	Timeless Classics Sand	PES	-	-	215	0.46	-	7	74	18	8	66	19	15	0	2	2	2	✓	-	CLP
33284	Sprout	Warm Monochrome	PES	-	-	215	0.46	-	7	72	13	15	64	14	22	0	2	2	2	✓	-	CLP
33307	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	56	11	33	51	16	33	1	2	2	0	✓	-	-
33308	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	46	6	48	41	9	50	1	2	3	0	✓	-	-
33309	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	40	4	56	38	7	55	2	2	3	0	✓	-	-
33310	Screen Classic FR OF 1%	5 of 8	25% PES / 75% PVC	-	-	520	0.57	B1	>7	8	0	92	8	0	92	0	4	4	3	0	✓	-
33385	Bliss	Dark Pearl	PES	-	-	210	0.43	-	6	25	5	70	27	8	65	0	3	4	2	2	✓	CLP, CLK
33411	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	58	9	33	53	14	33	1	2	1	0	✓	-	-
33415	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	54	17	29	49	21	30	1	2	0	0	✓	-	-
33416	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	42	10	48	39	14	47	1	2	1	0	✓	-	-
33417	Screen Classic FR OF 3%	6 of 8	25% PES / 75% PVC	-	-	445	0.59	B1/M1	>7	25	6	69	24	9	67	2	2	1	0	✓	-	-

PRODUCT OVERVIEW

Art. no.	Name	Page						Photometric values				Solar values											
					g/m²						%				%								
33418	Screen Classic FR OF 3%	6 of 8	-	-	445	0.59	B1/M1	>7	16	6	78	15	6	79	2	1	0	0	✓	-	✓	-	-
33450	Fine	Colour Fusion	✓	-	268	0.52	-	7	34	1	65	53	11	36	2	4	2	1	✓	-	✓	-	CLP, CLK
33515	Screen Classic FR OF 5%	7 of 8	-	-	420	0.55	B1/M1	>7	56	12	32	55	14	31	2	1	0	0	✓	-	✓	-	-
33518	Screen Classic FR OF 5%	7 of 8	-	-	420	0.55	B1/M1	>7	53	19	28	48	23	29	2	1	0	1	✓	-	✓	-	-
33519	Screen Classic FR OF 5%	7 of 8	-	-	420	0.55	B1/M1	>7	42	10	48	51	17	32	2	1	0	0	✓	-	✓	-	-
33521	Screen Classic FR OF 5%	7 of 8	-	-	420	0.55	B1/M1	>7	23	6	71	22	9	69	2	1	0	0	✓	-	✓	-	-
33524	Screen Classic FR OF 5%	7 of 8	-	-	420	0.55	B1/M1	>7	18	7	75	17	7	76	3	1	0	0	✓	-	✓	-	-
33573	Steps	Indigo Illusion	-	-	206	0.38	-	5-6	33	18	49	44	29	27	0	2	1	2	✓	-	-	-	CLP, CLK
33592	Charm	Dark Pearl	-		170	0.41	-	≥5	73	17	10	67	23	10	0	2	2	-	✓	-	-	-	CLP
33593	Charm	Timeless Classics Sand	-		170	0.41	-	≥5	74	18	8	68	24	8	0	2	2	-	✓	-	-	-	CLP
33615	Screen Classic FR OF 10%	8 of 8	-	-	390	0.50	B1	7	63	20	17	56	24	20	2	1	0	0	✓	-	✓	-	-
33616	Screen Classic FR OF 10%	8 of 8	-	-	390	0.50	B1	7	9	9	82	9	9	82	3	1	0	0	✓	-	✓	-	-
33699	Spark	White Essence	-	-	225	0.47	-	7	75	25	0	67	25	8	0	2	1	2	✓	-	-	-	-
33703	Screen Linen	4 of 8	-	-	358	0.52	B1	3-4	66	22	12	58	26	16	1	1	0	0	-	-	-	-	CLP, CLK
33704	Screen Linen	4 of 8	-	-	358	0.52	B1	3-4	53	19	28	48	24	28	2	1	0	0	-	-	-	-	CLP, CLK
33705	Screen Linen	4 of 8	-	-	358	0.52	B1	3-4	41	14	45	40	18	42	2	1	0	0	-	-	-	-	CLP, CLK
33706	Screen Linen	4 of 8	-	-	358	0.52	B1	3-4	35	14	51	34	17	49	2	1	0	0	-	-	-	-	CLP, CLK
33708	Screen Linen	4 of 8	-	-	358	0.52	B1	3-4	25	9	66	24	10	66	3	1	0	0	-	-	-	-	CLP, CLK
33709	Screen Linen	4 of 8	-	-	358	0.52	B1	3-4	13	9	78	13	9	78	3	1	0	0	-	-	-	-	CLP, CLK
33740	Medi-Text FR	9 of 11	-	-	280	0.43	B1	7	62	4	34	60	7	33	0	4	4	2	✓	✓	✓	-	CLP, CLK
33741	Medi-Text FR	9 of 11	-	-	280	0.43	B1	6	40	1	59	38	2	60	0	4	4	1	2	✓	✓	-	E
33760	Habitat BO	7 of 12	-	-	340	0.48	-	7	85	0	15	70	0	30	0	4	4	2	✓	-	-	-	-
33761	Habitat BO	7 of 12	-	-	340	0.48	-	7	79	0	21	69	0	31	0	4	4	2	✓	-	-	-	-
33762	Habitat BO	7 of 12	-	-	340	0.48	-	7	80	0	20	70	0	30	0	4	4	2	✓	-	-	-	-

Art. no.	Name	Page						Photometric values				Solar values											
					g/m²						%				%								
33763	Habitat BO	7 of 12	-	-	340	0.48	-	7	80	0	20	69	0	31	0	4	4	2	✓	-	-	-	-
33764	Habitat BO	7 of 12	-	-	340	0.48	-	7	81	0	19	71	0	29	0	4	4	2	✓	-	-	-	-
33765	Habitat BO	7 of 12	-	-	340	0.48	-	7	81	0	19	70	0	30	0	4	4	2	✓	-	-	-	-
33766	Habitat BO	7 of 12	-	-	340	0.48	-	7	81	0	19	69	0	31	0	4	4	2	✓	-	-	-	-
33767	Habitat BO	8 of 12	-	-	340	0.48	-	7	80	0	20	69	0	31	0	4	4	2	✓	-	-	-	-
33768	Habitat BO	8 of 12	-	-	340	0.48	-	7	79	0	21	67	0	33	0	4	4	2	✓	-	-	-	-
33769	Habitat BO	8 of 12	-	-	340	0.48	-	7	84	0	16	73	0	27	0	4	4	2	✓	-	-	-	-
33769	Habitat BO	Evergreen	-	-	340	0.48	-	7	84	0	16	73	0	27	0	4	4	2	✓	-	-	-	-
33770	Habitat BO	8 of 12	-	-	340	0.48	-	7	80	0	20	70	0	30	0	4	4	2	✓	-	-	-	-
33771	Habitat BO	8 of 12	-	-	340	0.48	-	7	80	0	20	70	0	30	0	4	4	2	✓	-	-	-	-
33830	Fine	Evergreen	✓	-	268	0.52	-	5	49	4	47	55	11	34	2	3	2	1	-	✓	✓	-	CLP, CLK
33832	Twine	Timeless Classics Grey	-	-	181	0.54	-	8	48	34	18	52	39	9	2	0	0	1	✓	-	-	-	CLP
33833	Twine	Warm Monochrome	-	-	181	0.54	-	7	37	29	34	46	36	18	2	0	0	1	✓	-	-	-	CLP
33931	Vivid	Indigo Illusion	-	-	220	0.30	-	6-7	-	-	-	-	-	-	-	-	2	-	✓	-	-	-	CLP, CLK
33935	Silk	Timeless Classics Sand	-	-	160	0.41	-	4-5	43	22	35	43	26	31	1	2	1	0	✓	-	-	-	CLP, CLK
33970	Art	Mellow Gold	-	-	180	0.60	-	≥7	25	45	30	35	60	5	-	-	0	-	✓	-	-	-	CLP, CLK
35118	Ambiente FR	1 of 11	-		135	0.35	B1/M1	5-7	35	40	25	40	42	18	2	0	0	1	✓	-	-	-	CLP, CLK
35119	Ambiente FR	1 of 11	-		135	0.35	B1/M1	5-7	31	36	33	36	45	19	2	0	0	1	✓	-	-	-	CLP, CLK
35120	Ambiente FR	1 of 11	-		135	0.35	B1/M1	5-7	39	47	14	42	45	13	2	0	0	1	✓	-	-	-	CLP, CLK
35121	Ambiente FR	1 of 11	-		135	0.35	B1/M1	5-7	18	27	55	40	42	18	2	0	0	1	✓	-	-	-	CLP, CLK
35122	Ambiente FR	2 of 11	-		135	0.35	B1/M1	5-7	40	46	14	40	46	14	2	0	0	1	✓	-	-	-	CLP, CLK
35123	Ambiente FR	2 of 11	-		135	0.35	B1/M1	5-7	33	42	25	37	44	19	2	0	0	1	✓	-	-	-	CLP, CLK
35124	Ambiente FR	2 of 11	-		135	0.35	B1/M1	5-7	20	32	48	32	41	27	2	0	0	1	✓	-	-	-	CLP, CLK
35124	Ambiente FR	Evergreen	-	-	135	0.35	B1/M1	5-7	20	32	48	32	41	27	2	0	0	1	✓	-	-	-	CLP, CLK
35125	Ambiente FR	2 of 11	-		135	0.35	B1/M1	5-7	31	37	32	41	46	13	2	0	0	1	✓	-	-	-	CLP, CLK
41500	Silken BO	1 of 2	-	-	165	0.22	B1	≥5	68	0	32	49	0	51	0	4	4	1	-	-	-	-	-

PRODUCT OVERVIEW

[illegible]

Art. no.	Name	Page				g/m²				Photometric values				Solar values													
										%	R	T	A _d	%	%	%	%										
53268	Steps BO	Indigo Illusion	PES	-	-	396	0,51	-	5	79	0	21	69	0	31	0	4	4	4	0	-	✓	-	-	-	-	
53272	Fable	Indigo Illusion	56,4% PES/ 43,6% rPES	✓	-	240	0,68	-	6	35	9	56	51	18	31	1	2	2	0	1	-	✓	-	-	-	CLP	
53273	Ikat	Timeless Classics Sand	PES	-	-	220	0,52	-	7	45	23	32	45	25	30	0	2	1	1	2	✓	✓	-	-	-	CLP, CLK	
53274	Ikat	Indigo Illusion	PES	-	-	220	0,52	-	7	50	30	20	50	30	20	0	2	0	1	2	✓	✓	-	-	-	CLP, CLK	
53275	Ikat	White Essence	PES	-	-	220	0,52	-	7	61	36	3	59	35	6	0	2	0	1	2	✓	✓	-	-	-	CLP, CLK	
53276	Grace BO	Timeless Classics Grey	PES	-	-	360	0,53	-	7	83	0	17	73	0	27	0	4	4	4	2	✓	✓	-	-	-	CLP, CLK	
53277	Grace BO	White Essence	PES	-	-	360	0,53	-	7	83	0	17	73	0	27	0	4	4	4	2	✓	✓	-	-	-	-	
53541	Soltis Master Allu	2 of 8	PET/PVC	-		290	0,32	B1/M1	27-8	56	12	32	54	13	33	1	2	0	0	2	✓	-	✓	-	✓	-	CLP, CLK
53542	Soltis Master Allu	2 of 8	PET/PVC	-		290	0,32	B1/M1	27-8	51	10	39	60	13	27	1	2	1	0	2	✓	-	✓	-	✓	-	CLP, CLK
53543	Soltis Master Allu	2 of 8	PET/PVC	-		290	0,32	B1/M1	27-8	46	5	49	46	7	47	2	2	1	0	2	✓	-	✓	-	✓	-	CLP, CLK
53544	Soltis Master Allu	2 of 8	PET/PVC	-		290	0,32	B1/M1	27-8	47	7	46	47	9	44	2	2	1	0	2	✓	-	✓	-	✓	-	CLP, CLK
53545	Soltis Master Allu	2 of 8	PET/PVC	-		290	0,32	B1/M1	27-8	42	4	54	42	5	53	2	2	1	0	2	✓	-	✓	-	✓	-	CLP, CLK
53546	Soltis Master Allu	2 of 8	PET/PVC	-		290	0,32	B1/M1	27-8	39	3	58	40	4	56	2	2	3	0	2	✓	-	✓	-	✓	-	CLP, CLK
53547	Soltis Master Allu	Evergreen	PET/PVC	-		290	0,32	B1/M1	27-8	50	10	40	50	13	37	1	2	0	0	2	✓	-	✓	-	✓	-	CLP, CLK
53590	Charm BO	Timeless Classics Grey	PES	-	-	320	0,51	-	7	83	0	17	73	0	27	0	4	4	4	2	✓	✓	-	-	-	-	
53591	Charm BO	Warm Monochrome	PES	-	-	320	0,51	-	7	83	0	17	73	0	27	0	4	4	4	2	✓	✓	-	-	-	-	
53800	Lush BO	Dark Pearl	rPES	✓	-	410	0,68	-	7	80	0	20	73	0	27	0	4	4	4	1	-	✓	-	-	-	-	
53801	Lush BO	Evergreen	rPES	✓	-	410	0,68	-	7	80	0	20	73	0	27	0	4	4	4	1	-	✓	-	-	-	-	
53834	Posh	Timeless Classics Grey	PES	-	-	251	0,44	-	8	33	20	47	37	25	38	0	2	2	1	1	-	✓	-	-	-	CLP	
53835	Posh	Mellow Gold	PES	-	-	251	0,44	-	8	36	23	41	41	28	31	0	2	1	2	1	-	✓	-	-	-	CLP	
53922	Petals BO	Timeless Classics Sand	PES	-	-	340	0,48	-	7	-	-	-	-	-	-	0	4	4	4	2	✓	✓	-	-	-	-	
53924	Jive BO FR	Mellow Gold	PES	-	-	420	0,50	B1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	✓	-	-	-	-	
53925	Leafs BO FR	Evergreen	PES	-	-	420	0,50	B1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	✓	-	-	-	-	
53926	Knit BO FR	Evergreen	PES	-	-	420	0,50	B1	6-7	84	0	16	71	0	29	0	4	4	4	2	✓	✓	-	-	-	-	
53928	Pixel BO	Laguna	PES	-	-	340	0,48	-	7	-	-	-	-	-	-	0	4	4	4	2	✓	✓	-	-	-	-	
53930	Bloomy BO	Indigo Illusion	PES	-	-	340	0,48	-	7	-	-	-	-	-	-	0	4	4	4	2	✓	✓	-	-	-	-	

KADECO Sonnenschutzsysteme GmbH · www.kadeco.de

© KADECO · MINRO-EN-0525 · Full or partial reproduction subject to prior written approval.
Subject to technical improvements and modifications without notice; errors and omissions excepted.



1017644